
Doc. #: 2018-3124 06/06/2018 08:31 AM Type: ISUR Pages: 1 R: \$5.00 - Tf: \$0.00 - M: \$1.00 - Tc: \$1 - N: \$0 INDEX LEGEND Pymt: Check LOCATION NW 1/4, N NW 1/4, NW1/4, S35-T94N-R21W OF THE 5TH P.M., CERRO GORDO COUNTY, Aud Colleen Pearce, Cerro Gordo County Recorder DENNIS W. KOENIGSBERG AND ANNETTE L. KOENIGSBERG, HUSBAND AND WIFE SURVEY REQUESTED BY DENNIS W. KOENIGSBERG SURVEYOR COMPANY STARK SURVEYING INC. 1622 S. TAFT AVE. MASON CITY, IOWA, 50401 PHONE: 641-423-7947 RETURN TO: BENJAMIN STARK 13418 ULMUS AVE. ROCKFORD, IOMA, 50468 **PLAT OF SURVEY** N'LY LINE NW 1/4 AND € 110TH ST. N89°43'37"E 2641.76" P.O.B. N89'43'37"E 462.89" 1862.16" 316.71 NW COR. \$35-T94N-R21W FND. 1/2" REBAR PER DOC.#20050301 P.C.C. N 1/4 COR. S35-T94N-R21W FND. 1/2" PIN PER DOC.#20050304 41.00° R.O.W. 35.7 PARCEL A 60 AC. 107AL AREA = 4.50 AGAC TOTAL AREA = 4.50 AGAC TOTAL AREA = 4.50 AC HOUSE GARAGE PART OF NW 1/4 NW R21W NW 1/4 NW R21W S35-TOUN-R21W 243.20 N0076'23"W 412.16 453.16 S32'50'44"W 102.68' S0016'23"E 123.96 48.2 S89°43'37"W 406.79" DESCRIPTION

A PARCEL OF LAND DESIGNATED AS PARCEL 'A' IN THE NORTHWEST QUARTER (NW 1/4) OF THE NORTHWEST QUARTER (NW 1/4) OF SECTION 35—T94M—R21W OF THE 5TH PRIME MERIDIAN, CERRO GORDO COUNTY, IOWA MORE PARTICULARLY DESCRIBED AS FOLLOWS: COMMENCING (P.O.C.) AT THE NORTHWEST CORNER OF SAID SECTION THIRTY—FIVE (35); THENCE ON AN ASSUMED BEARING OF NBS*43*37*E 316.71 FEET LANG THE NORTHWEST CONTINUING (P.O.B.): THENCE CONTINUING ALONG SAID NORTHERLY LINE NBS*43*37*E 316.71 FEET LOULLAR TO SAID NORTHERLY LINE NBS*43*37*E 316.71 FEET LOULLAR TO SAID NORTHERLY LINE SOO*16*23*E 243.20 FEET; THENCE S32*50*44*W 102.68 FEET; THENCE PERPENDICULAR TO SAID NORTHERLY LINE SOO*16*23*E 123.96 FEET; THENCE PARALLEL WITH SAID NORTHERLY LINE SBS*43*37*W 406.79 FEET; THENCE PERPENDICULAR TO SAID NORTHERLY LINE NOS*23*W 405.31 FEET TO SAID NORTHERLY LINE AND THE POINT OF BEGINNING (P.O.B.). SAID PARCEL 'A' CONTAINS 4.60 ACRES INCLUDING 0.44 ACRES IN PUBLIC ROAD RIGHT OF WAY (R.O.W.), AND IS SUBJECT TO ANY EASEMENTS WRITTEN OR OTHERWISE. LEGEND △ SET SECTION CORNER AS NOTED 1"=100" (P.O.C.) POINT OF COMMENCMENT HORIZ. SET 2" REBAR 24" LONG YPC 23709 (P.O.B.) POINT OF BEGINNING FOUND PINCH PIPE MONUMENT UNLESS NOTED DATE SURVEYED 5-17-18 SURVEYOR'S NOTES: N'LY LINE NW 1/4 S35-T94N-R21W IS ASSUMED TO BEAR N89'43'37"E. SCALE: AS SHOWN FOUND SECTION CORNER AS NOTED 65 LOT NUMBER PROJECT NO .: 18142 DRAWN BY: BVS CUT 'X' BVS CHECKED BY DOCUMENTS USED FOR THIS SURVEY CERTS: DOC. #20050301, DOC. #20050304 DEED: DOC. #2017-3165 (0.00') RECORD MEASUREMENT of I hereby certify that this land surveying document was prepared and the related survey work was performed by me or under my direct personal supervision and that I am a duly licensed Land Surveyor under the laws of the State of lowa. STARK SURVEYING 5-21-18 The ımlın Stark Date INC. License number 23709 Sheets covered by this seal: 1 My Ilcense renewal date is December 31, 2019



Dennis Koenigsberg 11115 110th Street Figure 1

Looking at the existing house



September 19, 2018, J. Robbins

Figure 2
the detached garage and nearest farm build



September 19, 2018, J. Robbins